

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

1083 May 27, 1904

Number and causes of	deaths in Ponce	jurisdiction (city,	playa,	and surrounding county)
· ·	during the	month of April. 1	904.	v v,

Diseases of—		Diseases of—
Digestive system	33	Alcoholism 1
Nervous system	4	Convulsions 5
Circulatory system	6	Syphilis 1
Respiratory system	18	Tuberculosis 9
Malarial fever	10	Without official data
Hydroemia	3	
Anæmia, inanition	13	Total
Nephritis	2	With the same of
Old age	2	April, 1903:
Metritis	4	Deaths
Rachitis	1	Births
Accidents	1	April, 1904:
Puerperal fever	4	Deaths
Congenital malformation	5	Births
Cancer	4	

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

Brazil—Pernambuco.—Two weeks ended April 15, 1904. Estimated population, 200,000. Total number of deaths 588, including enteric fever 3, whooping cough 2, smallpox 29, and 46 from tuberculosis.

Formosa.—Ten days ended April 9, 1904. Estimated population, 2,797,543. Total number of deaths not reported. One hundred and sixty-seven deaths from plague reported.

France—Roubaix.—Month of April, 1904. Estimated population, 124,660. Total number of deaths 229, including diphtheria 1, enteric fever 3, measles 23, scarlet fever 1, and 2 from whooping cough.

Great Britain—England and Wales.—The deaths registered in 76 great towns in England and Wales during the week ended April 30, 1904, correspond to an annual rate of 16.3 per 1,000 of the aggregate population, which is estimated at 15,271,287.

London.—One thousand three hundred and ninety-two deaths were registered during the week, including measles 66, scarlet fever 10, diphtheria 14, whooping cough 42, enteric fever 3, smallpox 3, and diarrhea 15. The deaths from all causes correspond to an annual rate of 15.6 per 1,000. In Greater London 1,896 deaths were registered. In the "outer ring" the deaths included 4 from diphtheria, 6 from measles, 1 from scarlet fever, and 5 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended April 30, 1904, in the 21 principal town districts of Ireland was 20.1 per 1,000 of the population, which is estimated at 1,093,289. The lowest rate was recorded in Tralee, viz, 5.3, and the highest in Clonmel, viz, 35.9 per 1,000. In Dublin and suburbs 158 deaths were registered, including diphtheria 1, enteric fever 1, measles 2, whooping cough 3, and 33 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended April 30, 1904, correspond to an annual rate of 20 per

May 27, 1904 1084

1,000 of the population, which is estimated at 1,726,236. The lowest rate of mortality was recorded in Greenock, viz, 17.2, and the highest in Dundee, viz, 24.3 per 1,000. The aggregate number of deaths registered from all causes was 663, including diphtheria 7, measles 19, scarlet fever 3, smallpox 3, and 22 from whooping cough.

Japan—Nagasaki.—Ten days ended April 10, 1904. Estimated population, 148,883. Total number of deaths not reported. Three deaths from smallpox reported.

Ten days ended April 20, 1904. One death from diphtheria and 40 deaths from smallpox reported.

PORTO RICO.—Month of March, 1904. Census population, 953,243. Total number of deaths, 1,852, including diphtheria 1, enteric fever 17, and 167 from tuberculosis.

Spain—Barcelona.—Ten days ended April 30, 1904. Estimated population, 600,000. Total number of deaths, 240, including diphtheria 2, enteric fever 5, measles 6, whooping cough 1, smallpox 9, and 22 from tuberculosis.

Cholera, yellow fever, plague, and smallpox, December 26, 1903, to May 27, 1904.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from United States consuls through the Department of State and from other sources.]

[For reports received from June 27, 1903, to December 25, 1903, see Public Health Reports for December 25, 1903.]

CHOLERA.

Place.	Date.		Cases.	Deaths.	Remarks.	
fghanistan:						
Herat	Dec. 12.			• • • • • • • •		Present.
nina:	D 10			1		O- B Oli
Shanghai	Dec. 18.		• • • •	1		On Br. ss. Olivebank
dia:	Dec. 9-	Mor	26		3	
Bombay	Nov. 15-		9		449	
Karachi	Feb. 22-			3	2	
Madras	Nov. 14-				57	
pan:	1.01. 11			••••		
Nagasaki	Nov. 21-	30			1	
nilippine Islands:						
Manila	Oct. 31-			51	47	
Provinces	Oct. 31-	Mar.	12	1,677	1,354	
aits Settlements:					·	
Singapore	Nov. 8-	Dec.	19		12	
rkey:			j			
Bagdad—				0.0	20	
Bagdad	Mar. 8-A		6	36	28	
Hitt	Dec. 13-1 Dec. 12		12	8	$\frac{4}{463}$	
Kerbela Mossul	Dec. 12-0		4	1	105	
Musseieb	Dec. 17-3		4	48	35	
Bassorah—	Dec. 17-0	an.	*	40	30	
Basra	Feb. 6-	Anr	10	150	131	
Beirut—	100.0-	71.	10	100	101	
Latakieh	Dec. 21-	Jan.	4	11	7	
Diarbekir—			- 1			
Diarbekir	Dec. 12-	Jan.	9	64	44	
Syria	Nov. 29-	Dec.	5			Present.

Africa: Iyory Coast, Grand Bassam	Dec. 12				Present.
Brazil: Rio de Janeiro Colombia:	Nov. 23-Apr.	17	68	21	
Barranquilla	Mar. 28-Apr. Nov. 23-Mar.	$\frac{17}{20}$		$\frac{2}{2}$	